
Veterans' Memorial Habitat Garden

550 Bunker Lake Blvd NW Andover, MN



The perennials and shrubs listed on this set of slides provide either food, shelter, or breeding habitat for many native bees, birds, and butterflies.

We hope to educate and inspire others to incorporate habitat friendly plants in their own yards. Come take a stroll through the garden and enjoy watching the activity from all of the "Flyers who love Flowers."

The annuals that are found in the garden or raised beds are not included on this list.

This project is a partnership between the University of Minnesota Extension, Master Gardener Program in Anoka County and Anoka County Parks and Recreation.

All photos were taken by intern Ashley Horton of the plants within the Veteran's Memorial Habitat Garden unless otherwise noted.



Part 1 Plants for Sun

Veterans' Memorial Habitat Garden

JNIVERSITY OF MINNESOTA EXTENSION

ANOKA COUNTY MAST

DENER VOLUNTEER PROGRAM

MINNESOTA NATIVE

Achillea millefolium Common yarrow

Location in Garden: Zone 4 Bloom Time: June - September Attracts: Hummingbirds Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 - 3'

Spread: 2 - 3'

GOOD TO KNOW

Spreads quickly Good for naturalizing groundcover Deer and drought resistant

Occasional Problems: Stem rot, powdery mildew, rust

Cut back in late spring before flowering to decrease plant height





Allium schoenoprasum Chives

MINNESOTA NATIVE

Location in Garden: Zone 4 Bloom Time: April – May Attracts: Bees, butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 1 – 1.5' Spread: 1 – 1.5'

GOOD TO KNOW

Easily grown from seed and divided Fragrant leaves, best fresh Deer and drought resistant Edible flowers Attractive flower and foliage **Occasional Problems:** Root rot

UNIVERSITY OF MINNESOTA EXTENSION



Amorpha canescens Lead plant

MINNESOTA NATIVE

Location in Garden: Zone 4 Bloom Time: July - September Attracts: Birds, butterflies, bees Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 - 3' Spread: 2 - 2.5' **GOOD TO KNOW**

Low maintenance Good for naturalizing Erosion and drought resistant **Occasional Problems:** Leaf spot, rust, powdery mildew, canker





MINNESOTA NATIVE

Asclepias syriaca Common milkweed

Location in Garden: Zone 1, 7, throughout Bloom Time: June – August Attracts: Butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: .75 – 1'

GOOD TO KNOW

Low maintenance Attracts monarch butterflies Good for naturalizing Deer, drought, and erosion resistant Tolerates dry or rocky soil Spreads quickly by rhizomes

UNIVERSITY OF MINNESOTA EXTENSION



Asclepias tuberosa Butterfly Weed

MINNESOTA NATIVE



GOOD TO KNOW

Attracts monarch butterflies Low maintenance Good for naturalizing Deer and drought resistant Tolerates dry/rocky soils

Occasional Problems: Rust and leaf spot, crown rot in wet soils; has taproot and does not transplant well

TOXICITY: Poisonous to Livestock

University of Minnesota Extension



Calamagrostis x acutiflora 'Karl Foerster' Feathered reed grass

Location in Garden: Zone 3, 6 Bloom Time: May – February Attracts: Birds Preferred Soil: Medium to wet Preferred Sunlight: Full sun Height: 3 – 5' Spread: 1.5 – 2.5' **GOOD TO KNOW** Low maintenance

Grows well in wet or clay soil Winter interest Good cut and dried Occasional Problems: Rust Prune to the ground in late winter

UNIVERSITY OF MINNESOTA EXTENSION



Cerastium tomentosum Snow-in-summer

Location in Garden: Zone 7 Bloom Time: June Attracts: Bees Preferred Soil: Dry Preferred Sunlight: Full sun Height: .5 – 1' Spread: .75 – 1' **GOOD TO KNOW**

Good for ground cover Good for naturalizing Deer and drought resistant Some varieties can be weedy and invasive

University of Minnesota Extension





Coreopsis verticillata Tweety tickseed

MINNESOTA NATIVE

Location in Garden: Zone 5 Bloom Time: June - September Attracts: Bees, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 1 - 3' Spread: 1.5 - 2'

GOOD TO KNOW

Spreads by rhizomes

Good for naturalizing

Deer and drought resistant

Occasional Problems: Crown rot, snails and slugs

Shear in mid to late summer to promote fall rebloom. Deadhead throughout the summer to promote additional blooms





Echinacea angustifolia Narrow-leaf coneflower

Location in Garden: Zone 7 Bloom Time: June – July Attracts: Birds, butterflies Preferred Soil: Dry to Medium Preferred Sunlight: Full sun Height: 1 – 2' Spread: .75 – 1.5'

GOOD TO KNOW

Low maintenance Good for naturalizing Deer and drought resistant Tolerates multiple soils Good cut flowers **Occasional Problems:** Japanese beetle and leaf spot



ANOKA COUNTY MASTER GARDENER VOLUNTEER PROGRAM



MINNESOTA NATIVE

MINNESOTA NATIVE

Erigeron annuus Annual fleabane

Location in Garden: Zone 5 Bloom Time: June – October Attracts: Bees Preferred Soil: Dry to Medium Preferred Sunlight: Full sun Height: 2 – 5' Spread: 2 – 4' **GOOD TO KNOW**

Annual lifecycle Tolerates dry soil Can be weedy





Eutrochium maculatum 'Gateway' Joe Pye weed

Location in Garden: Zone 7 Bloom Time: July – September Attracts: Butterflies Preferred Soil: Medium to Wet Preferred Sunlight: Full sun Height: 4 – 5' Spread: 1.5 – 2' **GOOD TO KNOW** Low maintenance

Compact growth

Deer and wet soil resistant

Attractive seed heads

Occasional Problems: Leaves may scorch in dry conditions

Cut to ground in late winter





Festuca ovina glauca 'Elijah Blue' Boulder blue fescue

Location in Garden: Zone 7 Bloom Time: June – July Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 0.75 – 1' Spread: 0.5 – 0.75'

GOOD TO KNOW

High maintenance Good for naturalizing Deer and drought resistant Tolerates drought and poor soil Short lived, requires frequent division **Prune** in early spring back to 3-4"





Gaillardia arizonica Arizona sun blanket flower

Location in Garden: Zone 7 Bloom Time: May – August Attracts: Butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: .5 – 1' Spread: 1 – 1.5'

GOOD TO KNOW

Low maintenance

Drought resistant

Good cut flowers

Occasional Problems: Root rot in poorly drained soils, powdery mildew, leaf spot, aphids

Deadhead spent flowers to encourage additional blooms

University of Minnesota Extension



Geum triflorum Prarie smoke

Location in Garden: Zone 4 Bloom Time: April – June Attracts: Bees Preferred Soil: Dry Preferred Sunlight: Full sun Height: .5 – 1.5' Spread: .5 – 1' **GOOD TO KNOW**

Good for naturalizing Deer and drought resistant Tolerates dry soil

Occasional Problems: Root rot in poorly drained soils during winter



ANOKA COUNTY MASTER GARDENER VOLUNTEER PROGRAM

MINNESOTA NATIVE



Ginkgo biloba Ginkgo tree

Location in Garden: Zone 4 Bloom Time: April Attracts: Birds Preferred Soil: Medium Preferred Sunlight: Full sun Height: 50 – 80' Spread: 30 – 40" **GOOD TO KNOW** Good for urban use Deer resistant Tolerates clay soil Slow growing





MINNESOTA NATIVE

Heliopsis helianthoides False sunflower

Location in Garden: Zone 4 Bloom Time: June – September Attracts: Bees, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 6' Spread: 2 – 4'

GOOD TO KNOW

Good cut flowers Resistant to drought and erosion Tolerates clay, dry, or rocky soil **Occasional problems:** Aphids Tall plants may need support **Remove** spent flowers to encourage additional blooms

University of Minnesota Extension



Hemerocallis sp. Daylily varieties

Location in Garden: Zone 4 Bloom Time: July – August Attracts: Butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: 2 – 3' **GOOD TO KNOW**

Low maintenance Good for naturalizing Deer and rabbit resistant Tolerates clay soil **Divide** clumps when they become overcrowded





Iris domestica Blackberry lily (aka Leopard lily)

Location in Garden: Zone 2 Bloom Time: July - August Attracts: Butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 2 - 3' Spread: .75 - 2' **GOOD TO KNOW**

Low maintenance Good cut flowers and/or dried Showy fruit Expands slowly by rhizomes

Occasional Problems: potential iris borer





Iris germanica Bearded iris

Location in Garden: Zone 4 Bloom Time: May Attracts: Bees Preferred Soil: Medium Preferred Sunlight: Full sun Height: 2 - 3' Spread: 1 - 2' **GOOD TO KNOW**

Spreads by rhizomes Deer and drought resistant Tolerates multiple soils Good cut flowers **Occasional Problems:** Iris Borer, root rot, crown rot

Divide clumps to prevent overcrowding Plant rhizomes shallowly





Liatris spicata Blazing star

Location in Garden: Zone Bloom Time: August – October Attracts: Birds, hummingbirds, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: 1 – 1.5' **GOOD TO KNOW** Drought resistant Tolerates multiple soils

Good cut flowers

Good for raingardens

Occasional Problems: No serious pest or disease problems



ANOKA COUNTY MASTER GARDENER VOLUNTEER PROGRAM

MINNESOTA NATIVE



IMAGE FROM Blazing Star | Liatris blooming at the Daniel Boone Native G... | Flickr

MINNESOTA NATIVE

Malus sp. Flowering crabapple

Location in Garden: Zone 7 Bloom Time: May – June Attracts: Birds, butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 10 – 20' Spread: 15 – 20'

GOOD TO KNOW

Ornamental tree Colorful foliage in fall Edible fruit Winter interest Tolerates air pollution **Occasional Problems:** Scab, fireblight, rust, leaf spot, powdery mildew

University of Minnesota Extension



Opuntia compressa Prickly pear

Location in Garden: Zone 7 Bloom Time: June – July Preferred Soil: Dry Preferred Sunlight: Full sun Height: 0.5 – 1' Spread: 1 – 1.5'

GOOD TO KNOW

Good for naturalizing Rabbit and drought resistant Winter interest Edible fruit

Easily propagated by cuttings

Occasional Problems: Various rots if soil has poor drainage. Spines can cause allergic reactions. Pads shrivel up in fall and revive in spring

University of Minnesota Extension

ANOKA COUNTY MASTER GARDENER VOLUNTEER PROGRAM

MINNESOTA NATIVE



Origanum vulgare subsp. hirtum Greek oregano

Location in Garden: Zone 4 Bloom Time: July Attracts: Bees Preferred Soil: Medium Preferred Sunlight: Full sun Height: 0.5 – 0.75' Spread: 1 – 1.5'

GOOD TO KNOW

Attracts honeybees

Fragrant leaves good fresh and dried

Spreads by cuttings

Deer and drought resistant

Occasional Problems: Fungal diseases, root rot, aphids, spider mites

Shear back regularly before flowering to promote new growth

University of Minnesota Extension



Penstemon 'Dark Towers' Beardtongue

Location in Garden: Zone 2 Bloom Time: May – June Attracts: Birds, butterflies, bees Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: 1.5 – 2' GOOD TO KNOW

Colorful foliage Good for naturalizing Deer resistant Good cut flowers **Occasional Problems:** Leaf spot, root rot, spider mites, slugs





MINNESOTA NATIVE

Penstemon digitalis Foxglove beardtongue

Location in Garden: Zone 2, 7 Bloom Time: May – June Attracts: Birds, butterflies, bees Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: 1.5 – 2'

GOOD TO KNOW Good for naturalizing

Deer resistant Good cut flowers Occasional Problems: Leaf spot, rust, rots





Perovskia atriplicifolia Russian sage

Location in Garden: Zone 1, 3 Bloom Time: June - October Attracts: Bees Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 3 - 5' Spread: 2 - 4'

GOOD TO KNOW

Fragrant foliage

Low maintenance

Deer and rabbit resistant

Tolerates drought

Occasional Problems: Tends to flop over as growth continues

Prune to ground in late winter/early spring

University of Minnesota Extension



Phlox subulata Moss phlox

Location in Garden: Zone 1, 7 Bloom Time: March – May Attracts: Butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 0.25 – 0.5' Spread: 1 – 2'

GOOD TO KNOW

Medium maintenance

Good for naturalizing

Deer and drought resistant

Good ground cover

Occasional Problems: Spider mites, nematodes, rabbits

Cut back stems halfway after flowering to stimulate further growth

University of Minnesota Extension

ANOKA COUNTY MASTER GARDENER VOLUNTEER PROGRAM

MINNESOTA NATIVE



Picea abies 'Nidiformis' Bird's nest spruce

Location in Garden: Zone 3, 5 Bloom Time: Non-flowering Preferred Soil: Medium Preferred Sunlight: Full sun Height: 2 – 8' Spread: 3 – 12'

GOOD TO KNOW

Evergreen Deer and air pollution resistant


Rapid growth

Can be grown in containers

Quickly recovers from transplant shock

Occasional Problems: Canker, wood decay, needle cast and rust, aphids, bagworms, budworms, borers

Can be invasive in some areas





Picea abies 'Pendula' Norway weeping spruce

Location in Garden: Zone 3, 4 Bloom Time: Non-flowering Preferred Soil: Medium Preferred Sunlight: Full sun Height: 4 – 15' Spread: 4 - 15'

GOOD TO KNOW

Evergreen

Low maintenance

Deer and air pollution resistant

Occasional Problems: Canker, wood decay, needle cast, rust, aphids, bagworms, budworms, borers, spider mites

Can be invasive in some areas



UNIVERSITY OF MINNESOTA EXTENSION



MINNESOTA NATIVE

Rudbeckia Black-eyed susan

Location in Garden: Zone 5, 7 Bloom Time: July – September Attracts: Birds, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 1.5 – 2' Spread: 1.5 – 2' **GOOD TO KNOW** Low maintenance

Deer and drought resistant Good cut flowers **Deadhead** spent blooms





Salvia x sylvestris 'Mainacht' Wood sage

Location in Garden: Zone 2, 4 Bloom Time: May – June Attracts: Hummingbirds, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 1.5 – 2' Spread: 1 – 1.5'

GOOD TO KNOW

Fragrant leaves Deer and drought resistant

Good cut flowers

Occasional Problems: Powdery mildew, white fly, scale

Deadhead to encourage additional blooms and cut back foliage after bloom period





Sedum sp.

Location in Garden: throughout Bloom Time: August - October Attracts: Hummingbirds, butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 - 4' Spread: 1.5 - 2' **GOOD TO KNOW**

Low maintenance

Can be grown from cuttings

Good for naturalizing and ground cover

Deer, rabbit, and drought resistant



UNIVERSITY OF MINNESOTA EXTENSION



Sempervivum tectorum Hens and chicks

Location in Garden: Zone 4, 6 Bloom Time: June - July Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: .5 - 1' Spread: .5 - 1.5'

GOOD TO KNOW

Winter interest Deer and drought resistant Tolerates multiple poor soils Spreads by offsets, forms colonies Occasional Problems: Rust, leaf and stem rot, root rot





MINNESOTA NATIVE

Sporobolus heterolepis Prairie dropseed

Bloom Time: August - October Attracts: Birds Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 - 3' Spread: 2 - 3' **GOOD TO KNOW** Winter interest Good for naturalizing and ground cover Deer and drought resistant Tolerates multiple soils

Location in Garden: Zone 4

Fragrant flowers





Symphyotrichum novae-angliae MINNESOTA NATIVE New England Aster

Location in Garden: Zone 2, 4, 5 Bloom Time: August – October Attracts: Butterflies Preferred Soil: Medium Preferred Sunlight: Full sun Height: 2 – 6' Spread: 1.5 – 2'

GOOD TO KNOW

Medium maintenance

Good for naturalizing

Good to use in rain garden

Grows best in moist well drained soil

Can tolerate some shade

Occasional Problems: Powdery mildew, aster wilt

Cut to ground after flower to prevent self-seeding

University of Minnesota Extension



IMAGE FROM PRISCILLA BURCHER FROM New England aster | Symphyotrichum novae-angliae (New Englan... | Flickr

Symphyotrichum oblongifolium MINNESOTA NATIVE Aromatic Aster

Location in Garden: Zone 1, 7 Bloom Time: September – October Attracts: Butterflies, birds Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 2 – 3' Spread: 1.5 – 2' **GOOD TO KNOW**

Medium maintenance Good for groundcover Fragrant foliage Tolerates dry, rocky, or clay soils

Occasional Problems: mildew

UNIVERSITY OF MINNESOTA EXTENSION



IMAGE FROM BROOKLYN BOTANIC GARDEN FROM Aromatic Aster | Symphyotrichum oblongifolium 'October Skies... | Flicki

Thymus praecox arcticus Thyme

Location in Garden: Zone 4, 7 Bloom Time: June – September Attracts: Butterflies, bees Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 0.25 – 0.5' Spread: 0.25 – 0.5' **GOOD TO KNOW**

Winter interest Good for naturalizing Deer and drought resistant Herb, fragrant leaves **Occasional Problems:** Root rot in damp soils

University of Minnesota Extension





Yucca filamentosa 'Color Guard' Color guard yucca

Location in Garden: Zone 4, 7 Bloom Time: June - July Attracts: Butterflies Preferred Soil: Dry to medium Preferred Sunlight: Full sun Height: 3 - 6' Spread: 2 - 3' GOOD TO KNOW

Evergreen Good for naturalizing Deer, rabbit, and drought resistant Attractive foliage Spreads slowly by basal offsets



